

## Contents of Volume 16

(Abstracted/indexed in: Chemical Abstracts; Current Contents; Physical, Chemical & Earth Sciences; INSPEC; PASCAL/CNRS; MEDLINE)

Vol. 16 Nos. 1–4

### Special Issue: Polymeric Micelles in Biology and Pharmaceutics

#### Preface

K. Kataoka and A.V. Kabanov . . . . .	1
Nano-engineering block copolymer aggregates for drug delivery	
C. Allen, D. Maysinger and A. Eisenberg (Montreal, Canada) . . . . .	3
Modulation of interaction of polycations with negative unilamellar lipid vesicles	
A.A. Yaroslavov, E.G. Yaroslavova, A.A. Rakhnyanskaya (Moscow, Russian Federation), F.M. Menger (Georgia, USA) and V.A. Kabanov (Moscow, Russian Federation) . . . . .	29
Shell cross-linked polymer micelles: stabilized assemblies with great versatility and potential	
K.B. Thurmond II, H. Huang, C.G. Clark Jr., T. Kowalewski and K.L. Wooley (St Louis, MO, USA) . . . . .	45
Solubilization of hydrocarbons and resulting aggregate shape transitions in aqueous solutions of Pluronic® (PEO–PPO–PEO) block copolymers	
R. Nagarajan (University Park, PA, USA) . . . . .	55
Micellisation and gelation of diblock copolymers of ethylene oxide and propylene oxide in aqueous solution, the effect of P-block length	
H. Altinok, S.K. Nixon, P.A. Gorry, D. Attwood, C. Booth (Manchester, UK), A. Kelarakis and V. Havredaki (Athens, Greece) . . . . .	73
Stabilization and activation of Pluronic micelles for tumor-targeted drug delivery	
N. Rapoport (Salt Lake City, UT, USA) . . . . .	93
Block copolymer-based formulation of doxorubicin. From cell screen to clinical trials	
V. Alakhov, E. Klinski, S. Li, G. Pietrzynski, A. Venne (Laval, Canada), E. Batrakova, T. Bronitch and A. Kabanov (Omaha, NB, USA) . . . . .	113
Surface charge modulation of poly(ethylene glycol)–poly(D,L-lactide) block copolymer micelles: conjugation of charged peptides	
Y. Yamamoto (Tokyo, Japan), Y. Nagasaki, M. Kato (Chiba, Japan) and K. Kataoka (Tokyo, Japan) . . . . .	135
Colloidal stability and drug incorporation aspects of micellar-like PLA–PEG nanoparticles	
T. Riley, T. Govender, S. Stolnik, C.D. Xiong, M.C. Garnett, L. Illum and S.S. Davis (Nottingham, UK) . . . . .	147
Development of copolymers of poly(D,L-lactide) and methoxypolyethylene glycol as micellar carriers of paclitaxel	
H.M. Burt (Vancouver, BC, Canada), X. Zhang (Richmond, CA, USA), P. Toleikis, L. Embree and W.L. Hunter (Vancouver, BC, Canada) . . . . .	161
Comparison of the safety profiles of PLA <sub>50</sub> and Me.PEG-PLA <sub>50</sub> nanoparticles after single dose intravenous administration to rat	
J.-P. Plard and D. Bazile (Vitry sur Seine, France) . . . . .	173
Biodegradable thermosensitive micelles of PEG-PLGA-PEG triblock copolymers	
B. Jeong (Salt Lake City, UT, USA), Y. Han Bae (Kwangju, South Korea) and S. Wan Kim (Salt Lake City, UT, USA) . . . . .	185
Control of adriamycin cytotoxic activity using thermally responsive polymeric micelles composed of poly( <i>N</i> -isopropylacrylamide- <i>co</i> - <i>N,N</i> -dimethylacrylamide)- <i>b</i> -poly(D,L-lactide)	
F. Kohori, K. Sakai, T. Aoyagi, M. Yokoyama, M. Yamato, Y. Sakurai and T. Okano (Tokyo, Japan) . . . . .	195
Functional and site-specific macromolecular micelles as high potential drug carriers	
S. Cammas-Marion (Thiais, France), T. Okano and K. Kataoka (Tokyo, Japan) . . . . .	207
Micelle-like structures of poly(ethylene oxide)- <i>block</i> -poly(2-hydroxyethyl aspartamide)-methotrexate conjugates	
Y. Li and G.S. Kwon (Madison, WI, USA) . . . . .	217
Roles of adriamycin and adriamycin dimer in antitumor activity of the polymeric micelle carrier system	
S. Fukushima, M. Machida, T. Akutsu, K. Shimizu, S. Tanaka (Gunma, Japan), K. Okamoto, H. Mashiba, M. Yokoyama, T. Okano, Y. Sakurai and K. Kataoka (Tokyo, Japan) . . . . .	227

Peptide drug carrier: studies on incorporation of vasopressin into nano-associates comprising poly(ethylene glycol)-poly(L-aspartic acid) block copolymer T. Aoyagi (Tokyo, Japan), K.-i. Sugi (Chiba, Japan), Y. Sakurai, T. Okano (Tokyo, Japan) and K. Kataoka (Chiba, Japan). . . . .	237
Novel drug delivery systems based on the complexes of block ionomers and surfactants of opposite charge T.K. Bronich, A. Nehls (Omaha, USA), A. Eisenberg (Quebec, Canada), V.A. Kabanov (, Russia) and A.V. Kabanov (Omaha, USA). . . . .	243
Turbidometric analysis of polyelectrolyte complexes formed between poly(L-lysine) and DNA C.M. Ward, K.D. Fisher and L.W. Seymour (Birmingham, UK). . . . .	253
Self-assembling poly(L-lysine)/DNA complexes capable of integrin-mediated cellular uptake and gene expression R.C. Carlisle, M.L. Read, M.A. Wolfert and L.W. Seymour (Birmingham, UK) . . . . .	261
Polycation comb-type copolymer reduces counterion condensation effect to stabilize DNA duplex and triplex formation A. Maruyama, Y.-i. Ohnishi, H. Watanabe (Yokohama, Japan), H. Torigoe (Tsukuba, Japan), A. Ferdous and T. Akaike (Yokohama, Japan) . . . . .	273
Gene transfection using biodegradable nanospheres: results in tissue culture and a rat osteotomy model V. Labhasetwar (Omaha, NE, USA), J. Bonadio (San Diego, CA, USA), S.A. Goldstein (Ann Arbor, MI, USA) and R.J. Levy (Philadelphia, PA, USA). . . . .	281
Poly(ethylene glycol)-polyethyleneimine NanoGel™ particles: novel drug delivery systems for antisense oligonucleotides S. Vinogradov, E. Batrakova and A. Kabanov (Omaha, USA). . . . .	291
Polymeric micelles in diagnostic imaging V.P. Torchilin (Boston, USA) . . . . .	305
Potential applications of polymers in the delivery of drugs to the central nervous system D.W. Miller and A.V. Kabanov (Omaha, USA) . . . . .	321
Calendar . . . . .	331
Author Index. . . . .	333
Subject Index. . . . .	335
Volume Contents . . . . .	337

